Connecting via Winsock to STN

```
Welcome to STN International! Enter x:x
```

LOGINID:ssspta1503sxd

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

```
Welcome to STN International
                Web Page for STN Seminar Schedule - N. America
NEWS 1
NEWS 2 AUG 06 CAS REGISTRY enhanced with new experimental property tags
NEWS 3 AUG 06 FSTA enhanced with new thesaurus edition
NEWS 4 AUG 13 CA/CAplus enhanced with additional kind codes for granted
                 patents
     5 AUG 20
                CA/CAplus enhanced with CAS indexing in pre-1907 records
NEWS
NEWS
     6 AUG 27
                 Full-text patent databases enhanced with predefined
                 patent family display formats from INPADOCDB
                USPATOLD now available on STN
NEWS
     7
        AUG 27
        AUG 28
                CAS REGISTRY enhanced with additional experimental
NEWS
     8
                 spectral property data
NEWS
     9
        SEP 07
                 STN AnaVist, Version 2.0, now available with Derwent
                 World Patents Index
NEWS 10
        SEP 13
                 FORIS renamed to SOFIS
NEWS 11
        SEP 13
                INPADOCDB enhanced with monthly SDI frequency
NEWS 12
        SEP 17
                 CA/CAplus enhanced with printed CA page images from
                 1967-1998
NEWS 13 SEP 17
                CAplus coverage extended to include traditional medicine
                patents
NEWS 14
        SEP 24
                 EMBASE, EMBAL, and LEMBASE reloaded with enhancements
NEWS 15
        OCT 02
                CA/CAplus enhanced with pre-1907 records from Chemisches
                 Zentralblatt
NEWS 16 OCT 19
                BEILSTEIN updated with new compounds
NEWS 17 NOV 15
                Derwent Indian patent publication number format enhanced
NEWS 18 NOV 19
                WPIX enhanced with XML display format
NEWS 19 NOV 30
                ICSD reloaded with enhancements
NEWS 20 DEC 04 LINPADOCDB now available on STN
NEWS 21 DEC 14
                BEILSTEIN pricing structure to change
        DEC 17
NEWS 22
                USPATOLD added to additional database clusters
        DEC 17
NEWS 23
                IMSDRUGCONF removed from database clusters and STN
        DEC 17
                DGENE now includes more than 10 million sequences
NEWS 24
NEWS 25
        DEC 17
                TOXCENTER enhanced with 2008 MeSH vocabulary in
                MEDLINE segment
NEWS 26 DEC 17
                MEDLINE and LMEDLINE updated with 2008 MeSH vocabulary
        DEC 17
NEWS 27
                CA/CAplus enhanced with new custom IPC display formats
NEWS 28
        DEC 17
                STN Viewer enhanced with full-text patent content
                 from USPATOLD
NEWS 29 JAN 02
                STN pricing information for 2008 now available
NEWS EXPRESS 19 SEPTEMBER 2007: CURRENT WINDOWS VERSION IS V8.2,
             CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0jc(jp),
             AND CURRENT DISCOVER FILE IS DATED 19 SEPTEMBER 2007.
NEWS HOURS
              STN Operating Hours Plus Help Desk Availability
NEWS LOGIN
             Welcome Banner and News Items
```

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008

=> file uspatfull
COST IN U.S. DOLLARS

SINCE FILE TOTAL ENTRY SESSION 0.21 0.21

FULL ESTIMATED COST

FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008
CA INDEXING COPYRIGHT (C) 2008 AMERICAN CHEMICAL SOCIETY (ACS)

FILE COVERS 1971 TO PATENT PUBLICATION DATE: 10 Jan 2008 (20080110/PD)
FILE LAST UPDATED: 10 Jan 2008 (20080110/ED)
HIGHEST GRANTED PATENT NUMBER: US7318238
HIGHEST APPLICATION PUBLICATION NUMBER: US2008010713
CA INDEXING IS CURRENT THROUGH 10 Jan 2008 (20080110/UPCA)
ISSUE CLASS FIELDS (/INCL) CURRENT THROUGH: 10 Jan 2008 (20080110/PD)
REVISED CLASS FIELDS (/NCL) LAST RELOADED: Oct 2007
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE: Oct 2007

=> s antiperspirant? or deodorant?/ti

4421 ANTIPERSPIRANT?

536 DEODORANT?/TI

L1 4741 ANTIPERSPIRANT? OR DEODORANT?/TI

=> s w/o emulsion? or water-in-oil?
MISSING OPERATOR

=> s w/o emulsion?
. MISSING OPERATOR

=> s water-in-oil? emulsion?

1441659 WATER

713284 OIL?

254477 EMULSION?

L2 15669 WATER-IN-OIL? EMULSION? (WATER(1W)OIL?(W)EMULSION?)

=> d his

(FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008)

FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008

L1 4741 S ANTIPERSPIRANT? OR DEODORANT?/TI

L2 15669 S WATER-IN-OIL? EMULSION?

 \Rightarrow s 11 and 12

L3 693 L1 AND L2

LEGAL REPRESENTATIVE:

```
=> s PVA or polyvinyl alcohol?
        22950 PVA
        244933 POLYVINYL
        572429 ALCOHOL?
        109644 POLYVINYL ALCOHOL?
                 (POLYVINYL(W)ALCOHOL?)
1.4
        116407 PVA OR POLYVINYL ALCOHOL?
\Rightarrow s 13 and 14
         145 L3 AND L4
=> s emulsifier?(p)silicone oil?
        91169 EMULSIFIER?
        230423 SILICONE
        713284 OIL?
         40966 SILICONE OIL?
                 (SILICONE(W)OIL?)
L6
         1520 EMULSIFIER? (P) SILICONE OIL?
=> s 15 and 16
           32 L5 AND L6
L7
=> s polymer?
L8 860117 POLYMER?
=> s 17 and 18
L9
           31 L7 AND L8
=> s antiperspirant? active?
          4421 ANTIPERSPIRANT?
       1107739 ACTIVE?
           729 ANTIPERSPIRANT? ACTIVE?
L10
                 (ANTIPERSPIRANT? (W) ACTIVE?)
=> s 19 and 110
             6 L9 AND L10
=> d 1-6 ibib abs
L11 ANSWER 1 OF 6 USPATFULL on STN
                        2007:328317 USPATFULL
ACCESSION NUMBER:
TITLE:
                        Bleed-resistant colored microparticles and skin care
                        compositions comprising them
INVENTOR(S):
                        Rabe, Thomas Elliot, Baltimore, MD, UNITED STATES
                        Wildgust, Paul Graham, Baltimore, MD, UNITED STATES
                        Morrissey, Christopher Todd, Mason, OH, UNITED STATES
                        Jones, Stephen Ray, Pomona, NY, UNITED STATES
                        Grey, Bryan David, Bradford, UNITED KINGDOM
                        Dymond, Paul Michael, Leeds, UNITED KINGDOM
                        Baxter, Mark Christopher, Bradford, UNITED KINGDOM
                        Andrianov, Christina Ligia, Monroe, NY, UNITED STATES
                             NUMBER
                                        KIND
PATENT INFORMATION:
                        US 2007286824
                                         A1 20071213
APPLICATION INFO.:
                        US 2006-448353
                                          A1
                                                20060607 (11)
DOCUMENT TYPE:
                        Utility
FILE SEGMENT:
                        APPLICATION
```

THE PROCTER & GAMBLE COMPANY, INTELLECTUAL PROPERTY DIVISION - WEST BLDG., WINTON HILL BUSINESS CENTER -

BOX 412, 6250 CENTER HILL AVENUE, CINCINNATI, OH,

45224, US

NUMBER OF CLAIMS:

14 1

EXEMPLARY CLAIM: LINE COUNT:

1842

Bleed-resistant microparticles comprising at least one colorant, a process to produce them, compositions containing them and their use in skin care applications to produce a natural, textured tone effect.

L11 ANSWER 2 OF 6 USPATFULL on STN

ACCESSION NUMBER:

2007:147050 USPATFULL

TITLE:

Polyether-modified polysiloxanes with block character and use thereof for producing cosmetic formulations

INVENTOR(S):

Gruning, Burghard, Essen, DE, UNITED STATES Knott, Wilfried, Essen, DE, UNITED STATES

Leidreiter, Holger, Hattingen, DE, UNITED STATES

Meyer, Jurgen, Munster, DE, UNITED STATES

PATENT ASSIGNEE(S):

Goldschmidt GmbH, Essen, GERMANY, FEDERAL REPUBLIC OF

(non-U.S. corporation)

KIND DATE NUMBER

PATENT INFORMATION: US 2007128143 A1 20070607 APPLICATION INFO.: US 2006-633378 A1 20061204 (11)

APPLICATION INFO.:

NUMBER DATE

PRIORITY INFORMATION:

DE 2005-10200505785720051203

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE: Leopold Presser, Scully, Scott, Murphy & Presser, 400

Garden City Plaza, Garden City, NY, 11530, US

NUMBER OF CLAIMS:

1

EXEMPLARY CLAIM: LINE COUNT:

911

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

The invention provides a method of producing organomodified siloxanes with domain-type distribution obtained by partial or complete reaction A) hydrogensiloxanes with a degree of distribution (persistency

ratio) (η) of components [A] and [B] in the copolymer [AB] ##EQU1## of η >1, preferably >1.1, in particular ≥1.2, with B) olefinically and/or acetylenically unsaturated compounds, the compounds resulting therefrom and their use.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L11 ANSWER 3 OF 6 USPATFULL on STN

ACCESSION NUMBER: TITLE:

2002:246379 USPATFULL

INVENTOR(S):

Cosmetic compositions

Walling, David William, Cincinnati, OH, United States

Vatter, Michael Lee, Okeana, OH, United States

PATENT ASSIGNEE(S):

The Procter & Gamble Company, Cincinnati, OH, United

States (U.S. corporation)

NUMBER KIND DATE US 6455055 PATENT INFORMATION: B1 20020924 US 1999-467937 19991221 (9) APPLICATION INFO.:

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 1999-249939, filed

on 12 Feb 1999, now abandoned

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Williamson, Michael A.

LEGAL REPRESENTATIVE: Matthews, Armina E., Rosnell, Tara M., Miller, Steven

W. 24

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 1094

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Disclosed are cosmetic compositions including lipsticks, comprising from about 0.01% to about 50%, by weight, of a crystalline vitamin B.sub.3 compound having an average particle size of from about 0.01 µm to about 200 µm; from about 1% to about 90%, by weight, of an emollient component; and from about 1% to about 90%, by weight, of a solidifying agent. The compositions provide improved skin feel of crystalline vitamin B.sub.3 compounds when applied to skin.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L11 ANSWER 4 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2001:218020 USPATFULL

TITLE: Cosmetic and pharmaceutical oil-in-water emulsions INVENTOR(S): Dietz, Thomas, Essen, Germany, Federal Republic of Hameyer, Peter, Essen, Germany, Federal Republic of

Jenni, Klaus, Witten, Germany, Federal Republic of

PATENT ASSIGNEE(S): Goldschmidt AG, Essen, Germany, Federal Republic of

(non-U.S. corporation)

NUMBER DATE

PRIORITY INFORMATION: DE 2000-10007649 20000219

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Leopold Presser, Esq., Scully, Scott, Murphy & Presser,

400 Garden City Plaza, Garden City, NY, 11530

NUMBER OF CLAIMS: 11 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 2 Drawing Page(s)

LINE COUNT: 1038

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to the use of a polyether-modified polysiloxanes of a defined structure for the preparation of cosmetic and pharmaceutical oil-in-water emulsions, and to oil-in-water emulsions

which comprise said polysiloxanes.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L11 ANSWER 5 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2001:188220 USPATFULL TITLE: Cosmetic compositions

INVENTOR(S): Vatter, Michael Lee, Okeana, OH, United States

Tarantino, David Edmund, Loveland, OH, United States Scherneck, Nichole Marie, Baltimore, MD, United States Armstrong, Michael Gary, JR., Randallstown, MD, United

States

| | Watana | ***** | | | |
|-------------------------|------------------------------|---------|-------------|-----------------|----|
| | NUMBER | KIND | DATE | | |
| PATENT INFORMATION: | US 2001033850 | | | | |
| APPLICATION INFO.: | US 6528071
US 2001-785875 | | | (9) | |
| | Continuation of S | | | • • | 12 |
| | Feb 1999, GRANTED | , Pat. | No. US 622 | 4888 | |
| DOCUMENT TYPE: | Utility | | | | |
| FILE SEGMENT: | APPLICATION | | • | | |
| LEGAL REPRESENTATIVE: | Armina E. Matthew | s, The | Procter & | Gamble Company, | |
| | Sharon Woods Tech | nical (| Center, 115 | 11 Reed Hartman | |
| • | Highway - Box 325 | , Cinc | innati, OH, | 45241 | |
| NUMBER OF CLAIMS: | 34 | | • | • | |
| EXEMPLARY CLAIM: | 1 | | | | |
| LINE COUNT: | 1481 | | | | |
| CAC THERVING TO AVAILAD | TE EOD MILE DAMENIM | | | | |

- CAS INDEXING IS AVAILABLE FOR THIS PATENT.
- AΒ The present invention relates to cosmetic compositions, comprising:
 - a.) from about 0.01% to about 50%, by weight, of vitamin B.sub.3 compound;
 - b.) from about 0% to about 90%, by weight, of an emollient component comprising from 0% to about 100%, by weight, of an oil liquid at ambient temperature;
 - c.) from about 0.01% to about 40%, by weight, of a polar solvent;
 - d.) from about 0% to about 90%, by weight, of a solidifying agent; and
 - e.) from about 0% to about 90%, on an anhydrous basis, of a color

wherein the vitamin B.sub.3 compound is added to the composition such that the concentration of the vitamin B.sub.3 compound exceeds the saturation solubility of the vitamin B.sub.3 compound in the polar solvent.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L11 ANSWER 6 OF 6 USPATFULL on STN

ACCESSION NUMBER: 2001:63266 USPATFÜLL TITLE: Cosmetic compositions

INVENTOR(S): Vatter, Michael Lee, Okeana, OH, United States

Tarantino, David Edmund, Loveland, OH, United States Scherneck, Nichole Marie, Baltimore, MD, United States Armstrong, Jr., Michael Gary, Randallstown, MD, United

States

PATENT ASSIGNEE(S): The Procter & Gamble Company, Cincinnati, OH, United

States (U.S. corporation)

NUMBER KIND DATE PATENT INFORMATION: US 6224888 20010501 В1 US 1999-249217 APPLICATION INFO.: 19990212 DOCUMENT TYPE: Utility FILE SEGMENT: Granted PRIMARY EXAMINER: Page, Thurman K. ASSISTANT EXAMINER: Howard, S. LEGAL REPRESENTATIVE:

Matthews, Armina E., Tsuneki, Fumiko

NUMBER OF CLAIMS: 20 EXEMPLARY CLAIM:

1

LINE COUNT:

1397

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB The present invention relates to cosmetic compositions, comprising:

- a.) from about 0.01% to about 50%, by weight, of vitamin B.sub.3 compound;
- b.) from about 0% to about 90%, by weight, of an emollient component comprising from 0% to about 100%, by weight, of an oil liquid at ambient temperature;
- c.) from about 0.01% to about 40%, by weight, of a polar solvent;
- d.) from about 0% to about 90%, by weight, of a solidifying agent; and
- e.) from about 0% to about 90%, on an anhydrous basis, of a color wherein the vitamin B.sub.3 compound is added to the composition such that the concentration of the vitamin B.sub.3 compound exceeds the saturation solubility of the vitamin B.sub.3 compound in the polar solvent.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> d his

(FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008)

```
FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008
L1
           4741 S ANTIPERSPIRANT? OR DEODORANT?/TI
L2
          15669 S WATER-IN-OIL? EMULSION?
L3
            693 S L1 AND L2
L4
         116407 S PVA OR POLYVINYL ALCOHOL?
L5
            145 S L3 AND L4
L6
           1520 S EMULSIFIER? (P) SILICONE OIL?
L7
             32 S L5 AND L6
L8
         860117 S POLYMER?
             31 S L7 AND L8
L9
L10
            729 S ANTIPERSPIRANT? ACTIVE?
L11
              6 S L9 AND L10
=> s 11 and 19
           31 L1 AND L9
=> s antiperspirant?/ti
          489 ANTIPERSPIRANT?/TI
```

=> s 113 and 112

L14 0 L13 AND L12

=> s 115 and 112 L16 14 L15 AND L12

=> d 1-14 ibib abs

L16 ANSWER 1 OF 14 USPATFULL on STN ACCESSION NUMBER: 2007:328317 USPATFULL

10/581,320

TITLE:

Bleed-resistant colored microparticles and skin care

compositions comprising them

INVENTOR(S):

Rabe, Thomas Elliot, Baltimore, MD, UNITED STATES Wildgust, Paul Graham, Baltimore, MD, UNITED STATES Morrissey, Christopher Todd, Mason, OH, UNITED STATES

Jones, Stephen Ray, Pomona, NY, UNITED STATES Grey, Bryan David, Bradford, UNITED KINGDOM Dymond, Paul Michael, Leeds, UNITED KINGDOM

Baxter, Mark Christopher, Bradford, UNITED KINGDOM Andrianov, Christina Ligia, Monroe, NY, UNITED STATES

| NUMBER | KIND | DATE |
|--------|------|------|
| | | |

PATENT INFORMATION:

US 2007286824 A1 20071213

APPLICATION INFO.:

US 2006-448353 A1 20060607 (11)

DOCUMENT TYPE: FILE SEGMENT:

Utility APPLICATION

LEGAL REPRESENTATIVE:

THE PROCTER & GAMBLE COMPANY, INTELLECTUAL PROPERTY DIVISION - WEST BLDG., WINTON HILL BUSINESS CENTER -

BOX 412, 6250 CENTER HILL AVENUE, CINCINNATI, OH,

45224, US

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

1 1842

LINE COUNT: AΒ

Bleed-resistant microparticles comprising at least one colorant, a process to produce them, compositions containing them and their use in skin care applications to produce a natural, textured tone effect.

L16 ANSWER 2 OF 14 USPATFULL on STN

ACCESSION NUMBER:

2007:35823 USPATFULL

TITLE:

Cosmetic, pharmaceutical and dermatological

preparations comprising homopolymer and/or copolymer

waxes of the monomers ethylene and/or propylene

INVENTOR(S):

Herrmann, Hans-Friedrich, Gross-Gerau, GERMANY, FEDERAL

REPUBLIC OF

Lukasch, Anton, Meitingen, GERMANY, FEDERAL REPUBLIC OF Hohner, Gerd, Gersthofen, GERMANY, FEDERAL REPUBLIC OF Michaelis, Heike, Darmstadt, GERMANY, FEDERAL REPUBLIC

Lachmann, Angela, Kelkheim-Fischbach, GERMANY, FEDERAL

REPUBLIC OF

| | NUMBER | KIND | DATE |
|----|------------|------|----------|
| | | | |
| US | 2007031361 | A1 | 20070208 |

PATENT INFORMATION: APPLICATION INFO.:

20060608 (11) US 2006-449051 A1

> NUMBER DATE

PRIORITY INFORMATION:

DE 2005-10200502627820050806

DOCUMENT TYPE:

Utility

FILE SEGMENT:

APPLICATION

LEGAL REPRESENTATIVE:

CLARIANT CORPORATION, INTELLECTUAL PROPERTY DEPARTMENT,

4000 MONROE ROAD, CHARLOTTE, NC, 28205, US

NUMBER OF CLAIMS:

EXEMPLARY CLAIM:

. 1 LINE COUNT: 2280

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB Cosmetic, pharmaceutical or dermatological preparations are described which comprise one or more homopolymer and/or copolymer waxes of the

monomers ethylene and/or propylene. The homopolymer and copolymer waxes have a weight-average molecular weight Mw of less than or equal to 25 000 g/mol, a number-average molecular weight Mn of less than or equal to 15 000 g/mol, a molar mass distribution Mw/Mn in the range from 1.5 to 10 and have been obtained by metallocene catalysis. The copolymer waxes comprise, based on the total weight of the copolymer waxes, 0.1 to 30.0% by weight of structural units originating from the one monomer and 70.0 to 99.9% by weight of structural units originating from the other monomer.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 3 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2006:221179 USPATFULL

TITLE: Cosmetic, pharmaceutical or dermatological preparations

comprising copolymer waxes

INVENTOR(S): Heinrichs, Franz-Leo, Am Arenberg, GERMANY, FEDERAL

REPUBLIC OF

Lukasch, Anton, Schleifweg, GERMANY, FEDERAL REPUBLIC

Michaelis, Heike, Am Hopfengarten, GERMANY, FEDERAL

REPUBLIC OF

Lachmann, Angela, Hunsrueckstrasse, GERMANY, FEDERAL

REPUBLIC OF

NUMBER KIND DATE ______ PATENT INFORMATION: US 2006188459 A1 20060824 APPLICATION INFO.: US 2006-359956 A1 20060222 (11)

NUMBER DATE

PRIORITY INFORMATION:

DE 2005-10200500798020050222

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: CLARIANT CORPORATION, INTELLECTUAL PROPERTY DEPARTMENT,

4000 MONROE ROAD, CHARLOTTE, NC, 28205, US

NUMBER OF CLAIMS: 41 EXEMPLARY CLAIM: 1 LINE COUNT: 2053

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Cosmetic, pharmaceutical and dermatological preparations are described AΒ which contain copolymer waxes. The copolymer waxes contain structural units which are derived from α -olefins having 26 to 60 carbon atoms, from maleic anhydride, maleic acid or salts thereof and optionally from further monomers.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 4 OF 14 USPATFULL on STN

2006:130778 USPATFULL ACCESSION NUMBER:

TITLE: Topical Delivery System for Cosmetic and Pharmaceutical

Gupta, Shyam K., BIODERM RESEARCH, 5221 E. Windrose INVENTOR(S):

Drive, Scottsdale, AZ, UNITED STATES 85254

BIODERM RESEARCH, Scottsdale, AZ, UNITED STATES (U.S. PATENT ASSIGNEE(S):

corporation)

NUMBER KIND DATE -----PATENT INFORMATION: US 2006110415 A1 20060525 10/581,320

APPLICATION INFO.: US 2004-904665 A1 20041122 (10)

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: SHYAM K. GUPTA, BIODERM RESEARCH, 5221 E. WINDROSE

DRIVE, SCOTTSDALE, AZ, 85254, US

NUMBER OF CLAIMS: 37 EXEMPLARY CLAIM: 1 LINE COUNT: 1995

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB This invention relates to topical compositions containing esters of hydroxy acids and their application in the deep-penetration delivery of beneficial cosmetic and pharmaceutical agents.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 5 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2006:130715 USPATFULL

TITLE: Cosmetic, pharmaceutical and dermatological

compositions

INVENTOR(S): Milbradt, Robert, Wiesbaden, GERMANY, FEDERAL REPUBLIC

OF

Stelter, Wibke, Grosskarben, GERMANY, FEDERAL REPUBLIC

OF

Hornung, Michael, Frankfurt, GERMANY, FEDERAL REPUBLIC

OF

Vasco, Sebastiano Lo, Friedberg, GERMANY, FEDERAL

REPUBLIC OF

PATENT ASSIGNEE(S): Clariant GmbH (non-U.S. corporation)

NUMBER DATE

DE 2004-10200405023920041015

PRIORITY INFORMATION: DE 2004-102
DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: CLARIANT CORPORATION, INTELLECTUAL PROPERTY DEPARTMENT,

4000 MONROE ROAD, CHARLOTTE, NC, 28205, US

NUMBER OF CLAIMS: 47
EXEMPLARY CLAIM: 1
LINE COUNT: 2229

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A description is given of cosmetic, dermatological and/or pharmaceutical compositions comprising at least one copolymer A containing a) 1% to 50% by weight of structural units originating from N-vinylcaprolactam, b) 49.99% to 98.99% by weight of repeating structural units of the formula (1) ##STR1## in which

R.sup.3 is hydrogen, methyl or ethyl,

Z is C.sub.1-C.sub.8 alkylene and

X.sup.+ is Li.sup.+, Na.sup.+, K.sup.+, Mg.sup.2+/2, Ca.sup.2+/2, Al.sup.3+/3, NH.sub.4+, monoalkylammonium, dialkylammonium, trialkylammonium or tetraalkylammonium, the alkyl substituents of the ammonium ions being independently of one another (C.sub.1-C.sub.22) alkyl radicals or (C.sub.2-C.sub.10) hydroxyalkyl radicals, or singly to triply ethoxylated ammonium compounds having the same or different degree of ethoxylation, it being possible also for two or more different

structural units of the formula (1) to be present in the copolymer, and c) 0.01% to 8% by weight, preferably 0.01% to 5% by weight, of crosslinking structures originating from monomers having at least two olefinic double bonds.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 6 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2006:124208 USPATFULL

TITLE: Cosmetic, pharmaceutical and dermatological

preparations comprising copolymer waxes

INVENTOR(S): Heinrichs, Franz-Leo, Gablingen, GERMANY, FEDERAL

REPUBLIC OF

Lukasch, Anton, Meitingen, GERMANY, FEDERAL REPUBLIC OF Hohner, Gerd, Gersthofen, GERMANY, FEDERAL REPUBLIC OF Michaelis, Heike, Darmstadt, GERMANY, FEDERAL REPUBLIC

Lachmann, Angela, Kelkheim-Fischbach, GERMANY, FEDERAL

REPUBLIC OF

PATENT ASSIGNEE(S): Clariant GmbH (non-U.S. corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 2006104940 A1 20060518 APPLICATION INFO:: US 2005-271672 A1 20051112 (11)

NUMBER DATE

PRIORITY INFORMATION: DE 2004-10200405484920041113

DE 2005-10200500844220050224

DOCUMENT TYPE: FILE SEGMENT: Utility APPLICATION

LEGAL REPRESENTATIVE: CLARIANT CORPORATION, INTELLECTUAL PROPERTY DEPARTMENT,

4000 MONROE ROAD, CHARLOTTE, NC, 28205, US

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

LINE COUNT: 2576

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

Cosmetic, pharmaceutical and dermatological preparations are described which contain copolymer waxes. The copolymer waxes contain structural

units which are formally derived from α -olefins having 26 to 60

carbon atoms, derivatives of (meth)acrylic acid such as esters, amides

or salts and optionally further monomers.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 7 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2006:53559 USPATFULL

TITLE: Zinc Zeolite Based Deodorants and Deodorizers

INVENTOR(S): Gupta, Shyam K., BIODERM RESEARCH, 5221 E. Windrose

Drive, Scottsdale, AZ, UNITED STATES 85254

PATENT ASSIGNEE(S): BIODERM RESEARCH, Scottsdale, AZ, UNITED STATES (U.S.

corporation)

NUMBER KIND DATE PATENT INFORMATION: US 2006045860 A1 20060302 APPLICATION INFO.: US 2004-711136 A1 20040826 (10)

DOCUMENT TYPE: FILE SEGMENT: Utility APPLICATION

LEGAL REPRESENTATIVE: SHYAM K. GUPTA, BIODERM RESEARCH, 5221 E. WINDROSE

DRIVE, SCOTTSDALE, AZ, 85254, US

NUMBER OF CLAIMS: EXEMPLARY CLAIM: LINE COUNT: 1499

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

This invention relates to Zinc Zeolite based deodorant or deodorizing compositions useful for human or animal body or hair deodorizing solution, deodorizing powder, deodorizing gel, deodorizing spray, deodorizing stick, deodorizing roll-on, deodorizing paste, deodorizing cream, deodorizing lotion, deodorizing aerosol; human or animal deodorizing dentifrice, or oral cavity deodorizing toothpaste, deodorizing mouthwash, deodorizing dental powder, deodorizing mouth spray, deodorizing dental gel, deodorizing lozenges; household deodorizing solution, deodorizing powder, deodorizing gel, deodorizing spray, carpet deodorizer, room deodorizer, and other commonly marketed human, animal, or household deodorizing compositions.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 8 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2005:208457 USPATFULL

TITLE: Water-soluble polyaminoamides comprising 1,3-diimines

as sunscreen agents

INVENTOR(S): Wei, Mingli, Naperville, IL, UNITED STATES

> Hessefort, Yin Z., Naperville, IL, UNITED STATES Carlson, Wayne M., Batavia, IL, UNITED STATES

| | NUMBER | | KIND | DATE |
|---------------------|--------|------------|------|----------|
| • | | | | |
| PATENT INFORMATION: | US | 2005180933 | A1 | 20050818 |
| APPLICATION INFO.: | US | 2005-84959 | A1 | 20050321 |

20050321 (11)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2003-696835, filed

on 30 Oct 2003, GRANTED, Pat. No. US 6887400

DOCUMENT TYPE: Utility FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Nalco Company, Patent & Licensing Department, 1601 W.

Diehl Road, Naperville, IL, 60563-1198, US

NUMBER OF CLAIMS: 21 EXEMPLARY CLAIM: 1 LINE COUNT: 1545

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A UV-protective composition comprising a water-soluble polyaminoamide containing 1,3-diimine groups and a modifier, wherein the polyaminoamide containing 1,3-diimine groups absorbs ultraviolet light radiation having a wavelength of about 200 nm to about 420 nm, and methods of treating substrates with the UV-protective polyaminoamide containing 1,3-diimine

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 9 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2005:178099 USPATFULL

TITLE: Water-soluble polyaminoamides as sunscreen agents INVENTOR(S): Hessefort, Yin, Naperville, IL, UNITED STATES

Wei, Mingli, Naperville, IL, UNITED STATES Carlson, Wayne, Batavia, IL, UNITED STATES

| | NUMBER | KIND | DATE | |
|-----------------------|----------------|------|----------|------|
| • | | | | |
| PATENT INFORMATION: U | JS 2005154180 | A1 | 20050714 | |
| APPLICATION INFO.: | JS 2003-655163 | A1 | 20030904 | (10) |

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: Michael B. Martin, Patent & Licensing Department, Ondeo

Nalco Company, Ondeo Nalco Center, Naperville, IL,

60563-1198, US

NUMBER OF CLAIMS: 25 EXEMPLARY CLAIM: 1 LINE COUNT: 1523

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A UV-protective water-soluble polyaminoamide comprising UV-absorbing end groups, wherein the polyaminoamide absorbs ultraviolet light radiation having a wavelength of about 200 nm to about 420 nm, compositions comprising the UV-protective polyaminoamide and methods of treating substrates with the UV-protective polyaminoamide.

•

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 10 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2005:107215 USPATFULL

TITLE: Water-soluble polyaminoamides comprising 1,3-diimines

as sunscreen agents

INVENTOR(S): Wei, Mingli, Naperville, IL, UNITED STATES

Hessefort, Yin Z., Naperville, IL, UNITED STATES Carlson, Wayne M., Batavia, IL, UNITED STATES

PATENT ASSIGNEE(S): Nalco Company, Naperville, IL, UNITED STATES (U.S.

corporation)

APPLICATION INFO.: US 2003-696835 20031030 (10)

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

PRIMARY EXAMINER: Buttner, David J. ASSISTANT EXAMINER: Keehan, Christopher

LEGAL REPRESENTATIVE: Martin, Michael B., Breininger, Thomas M.

NUMBER OF CLAIMS: 20 EXEMPLARY CLAIM: 1

NUMBER OF DRAWINGS: 0 Drawing Figure(s); 0 Drawing Page(s)

LINE COUNT: 1537

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

AB A UV-protective composition comprising a water-soluble polyaminoamide containing 1,3-diimine groups, wherein the polyaminoamide containing 1,3-diimine groups absorbs ultraviolet light radiation having a wavelength of about 200 nm to about 420 nm, and methods of treating substrates with the UV-protective polyaminoamide containing 1,3-diimine groups.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 11 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2004:189704 USPATFULL

TITLE: Polyhydric alcohol-modified silicone and cosmetic

material containing same

INVENTOR(S): Nakanishi, Tetsuo, Gunma-Ken, JAPAN

PATENT ASSIGNEE(S): Shin-Etsu Chemical Co., Ltd., Tokyo, JAPAN (non-U.S.

corporation)

NUMBER KIND DATE

PATENT INFORMATION: US 2004146472 Al 20040729

US 7001971 B2 20060221 APPLICATION INFO.: US 2003-388229 A1 20030314 (10)

RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2001-5672, filed on

7 Dec 2001, ABANDONED

NUMBER DATE

PRIORITY INFORMATION: JP 2001-2000374342 20011208

DOCUMENT TYPE: Utility
FILE SEGMENT: APPLICATION

LEGAL REPRESENTATIVE: MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: 10 EXEMPLARY CLAIM: 1 LINE COUNT: 1715

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

This invention relates to a novel polyhydric alcohol-modified silicone, and to cosmetic products containing the same. When the polyhydric alcohol-modified silicone was used as an oil base, the cosmetic containing it had excellent adhesion to the skin without being sticky and had a clean feel, and when it was used as an emulsifying agent, it had excellent emulsification stability.

It was found that when this polyhydric alcohol-modified silicone represented by the general formula (1) below, and obtained by the addition reaction of a polyhydric alcohol-substituted hydrocarbon group, a silicone compound and an organohydrogen polysiloxane, was used as an oil base or an emulsifying agent, it had very high affinity with silicone oil bases and excellent emulsifying power, and the stability of the emulsion obtained was very good.

R. $\sup.1.\sup.aR.\sup.2.sub.bR.\sup.3.sub.cSi0.sub.(4-a-b-c)/2$ (1)

(where, R.sup.1 is an alkyl group, R.sup.2 is represented by the following general formula (3):

-Q-O--X (3)

(where, Q is a bivalent hydrocarbon group, and X is a polyhydric alcohol-substituted hydrocarbon group, and

R.sup.3 is an organosiloxane represented by the following general formula (4): #STR1##

(where, R is an alkyl group)

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 12 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2002:242767 USPATFULL

TITLE: Polyhydric alcohol-modified silicone and cosmetic

material containing same

INVENTOR(S): Nakanishi, Tetsuo, Gunma-Ken, JAPAN

PATENT ASSIGNEE(S): Shin-Etsu Chemical Co., Ltd., Tokyo, JAPAN (non-U.S.

corporation)

NUMBER DATE

PRIORITY INFORMATION:

JP 2000-374342

20001208

DOCUMENT TYPE: FILE SEGMENT:

Utility APPLICATION

LEGAL REPRESENTATIVE:

MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON

BLVD., SUITE, 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

10 1

LINE COUNT:

1702

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

This invention relates to a novel polyhydric alcohol-modified silicone, and to cosmetic products containing the same. When the polyhydric alcohol-modified silicone was used as an oil base, the cosmetic containing it had excellent adhesion to the skin without being sticky and had a clean feel, and when it was used as an emulsifying agent, it had excellent emulsification stability.

It was found that when this polyhydric alcohol-modified silicone represented by the general formula (1) below, and obtained by the addition reaction of a polyhydric alcohol-substituted hydrocarbon group, a silicone compound and an organohydrogen polysiloxane, was used as an oil base or an emulsifying agent, it had very high affinity with silicone oil bases and excellent emulsifying power, and the stability of the emulsion obtained was very good.

R.sup.1.sub.aR.sup.2.sub.bR.sup.3.sub.cSiO.sub.(4-a-b-c)/2 (1)

(where, R.sup.1 is an alkyl group, R.sup.2 is represented by the following general formula (3):

-Q-O--X (3)

(where, Q is a bivalent hydrocarbon group, and X is a polyhydric alcohol-substituted hydrocarbon group, and

R.sup.3 is an organosiloxane represented by the following general
formula (4): ##STR1##

(where, R is an alkyl group)

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 13 OF 14 USPATFULL on STN

ACCESSION NUMBER:

2002:213399 USPATFULL

TITLE:

Cosmetic material

INVENTOR(S):

Nakanishi, Tetsuo, Gunma-ken, JAPAN

PATENT ASSIGNEE(S):

Shin-Etsu Chemical Co., Ltd., Tokyo, JAPAN (non-U.S.

corporation)

| | NUMBER | KIND | DATE | |
|---------------------|--------------|-------|----------|------|
| - | | | | |
| PATENT INFORMATION: | JS 200211477 | 71 A1 | 20020822 | |
| Ţ | JS 6790451 | B2 | 20040914 | |
| APPLICATION INFO.: | JS 2001-1132 | 20 A1 | 20011211 | (10) |

NUMBER DATE

PRIORITY INFORMATION:

JP 2000-375585 20001211

DOCUMENT TYPE:

Utility

10/581,320

FILE SEGMENT: APPLICATION

MILLEN, WHITE, ZELANO & BRANIGAN, P.C., 2200 CLARENDON LEGAL REPRESENTATIVE:

BLVD., SUITE 1400, ARLINGTON, VA, 22201

NUMBER OF CLAIMS: EXEMPLARY CLAIM:

LINE COUNT: 2271

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A cosmetic material comprising as essential cosmetic constituents (A) a silicone-branched silicone compound and (B) a silicone-branched

polyether-modified silicone compound.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

L16 ANSWER 14 OF 14 USPATFULL on STN

ACCESSION NUMBER: 2001:126057 USPATFULL

TITLE: Emulsions of silicones with non-aqueous hydroxylic

solvents

Powell, Virginia Van Valkenburgh, East Nassau, NY, INVENTOR(S):

United States

Kasson, Amy-Elizabeth, Ballston Spa, NY, United States

General Electric Company, Pittsfield, MA, United States PATENT ASSIGNEE(S):

(U.S. corporation)

NUMBER KIND US 6271295 B1 20010807 PATENT INFORMATION:

US 1998-33788 APPLICATION INFO.: 19980303 (9)

Continuation-in-part of Ser. No. US 1996-708436, filed RELATED APPLN. INFO.:

on 5 Sep 1996, now patented, Pat. No. US 5760116

DOCUMENT TYPE: Utility FILE SEGMENT: GRANTED

Dawson, Robert PRIMARY EXAMINER:

ASSISTANT EXAMINER: Robertson, Jeffrey B. Wheelock, Kenneth S. LEGAL REPRESENTATIVE:

NUMBER OF CLAIMS: 40 EXEMPLARY CLAIM: 1 1976

LINE COUNT:

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

A composition comprising the hydrosilylation addition product of a linear alkenyl functionalized polyorganosiloxane and an organohydrogen siloxane stabilize non-aqueous emulsions utilizing non-aqueous organic hydroxylic solvents and when dispersions of the addition product in a carrier solvent are subjected to a particle size reduction process that includes flow induced shearing, the new compositions provide for components in personal care formulations that have improved spreadability and substance as a consequence of a unique particle size distribution. The continuous phase of the emulsion comprises a non-aqueous phase.

CAS INDEXING IS AVAILABLE FOR THIS PATENT.

=> d his

L1

(FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008)

FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008

4741 S ANTIPERSPIRANT? OR DEODORANT?/TI

L2 15669 S WATER-IN-OIL? EMULSION?

693 S L1 AND L2 L3

116407 S PVA OR POLYVINYL ALCOHOL? L4

```
145 S L3 AND L4
L_5
L6
         1520 S EMULSIFIER? (P) SILICONE OIL?
          32 S L5 AND L6
L7
       860117 S POLYMER?
L8
          31 S L7 AND L8
L9
           729 S ANTIPERSPIRANT? ACTIVE?
L11
           6 S L9 AND L10
        31 S L1 AND L9
L12
L13 .
         489 S ANTIPERSPIRANT?/TI
L14
           0 S L13 AND L12
         1407 S ANTIPERSPIRANT?/CLM
L15
           14 S L15 AND L12
L16
=> s emulsifier?
     91169 EMULSIFIER?
=> s silicone oil?
       230423 SILICONE
       713284 OIL?
        40966 SILICONE OIL?
L18
               (SILICONE(W)OIL?)
=> s 117 and 118
        9363 L17 AND L18
=> s 119 and 15
L20
    96 L19 AND L5
=> d 120 and 110
L10 IS NOT VALID HERE
For an explanation, enter "HELP DISPLAY".
=> s 120 and 110.
L21 17 L20 AND L10
=> s 113 and 121
      1 L13 AND L21
=> d 1 ibib abs
L22 ANSWER 1 OF 1 USPATFULL on STN
                      2002:98863 USPATFULL
ACCESSION NUMBER:
TITLE:
                      Clear antiperspirants and deodorants
                      made with siloxane-based polyamides
                      Cai, Heng, Yardley, PA, UNITED STATES
INVENTOR(S):
                      Urrutia-Gutierrez, Adriana, Mexico City, MEXICO
                      Fan, Aixing, Bridgewater, NJ, UNITED STATES
                          NUMBER
                                      KIND
                      -----
                      US 2002051758 A1 20020502
PATENT INFORMATION:
                      US 6451295
                                      B2 20020917
                      US 2001-922054
                                       A1 20010803 (9)
APPLICATION INFO.:
RELATED APPLN. INFO.: Continuation-in-part of Ser. No. US 2001-873504, filed
                      on 4 Jun 2001, UNKNOWN
DOCUMENT TYPE:
                      Utility
FILE SEGMENT:
                      APPLICATION
LEGAL REPRESENTATIVE: Patent Department, Colgate-Palmolive Company, 909 River
                      Road, P.O. Box 1343, Piscataway, NJ, 08855-1343
NUMBER OF CLAIMS:
EXEMPLARY CLAIM:
```

1896 LINE COUNT: CAS INDEXING IS AVAILABLE FOR THIS PATENT. Clear antiperspirant and/or deodorant compositions, especially clear sticks having good structural integrity, can be formed by incorporating at least 8% by weight based on the total weight of the composition of a selected siliconized polyamide into a product formulated with at least one silicone material and at least one non-silicone emollient. The siliconized polyamides have the silicone portion in the acid side of the polyamide and are selected so that: (a) the degree of polymerization in the silicone portion is in the range of 12-18; (b) the average molecular weight of the siliconized polyamide is at least 50,000 daltons with at least 95% of the polyamide having a molecular weight greater than 10,000 as measured by size exclusion chromatography; and (c) the polydispersity is less than 20. CAS INDEXING IS AVAILABLE FOR THIS PATENT. => s us6451295/pn 1 US6451295/PN L23 => d his (FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008) FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008 L14741 S ANTIPERSPIRANT? OR DEODORANT?/TI L2 15669 S WATER-IN-OIL? EMULSION? L3 693 S L1 AND L2 116407 S PVA OR POLYVINYL ALCOHOL? L4L5145 S L3 AND L4 L6 1520 S EMULSIFIER? (P) SILICONE OIL? L7 32 S L5 AND L6 L8860117 S POLYMER? 1.9 31 S L7 AND L8 L10 729 S ANTIPERSPIRANT? ACTIVE? L11 6 S L9 AND L10 31 S L1 AND L9 L12 L13 489 S ANTIPERSPIRANT?/TI L14 0 S L13 AND L12 1407 S ANTIPERSPIRANT?/CLM L15 L16 14 S L15 AND L12 91169 S EMULSIFIER? L17 40966 S SILICONE OIL? L189363 S L17 AND L18 L19 96 S L19 AND L5 L20 L21 17 S L20 AND L10 L22 1 S L13 AND L21 L23 1 S US6451295/PN => s 122 and 123 L24 1 L22 AND L23 => d kwic L24 ANSWER 1 OF 1 USPATFULL on STN ΤI Clear antiperspirants and deodorants made with siloxane-based polyamides Clear antiperspirant and/or deodorant compositions, especially AB clear sticks having good structural integrity, can be formed by

incorporating at least 8% by weight. .

[0002] The use of polyamides in cosmetic compositions, especially SUMM antiperspirants and/or deodorants, has certain advantages, especially with regard to clarity. It has been difficult, however, to obtain satisfactory structural integrity. . stick), may be made with a base composition containing at least SUMM one silicone fluid (for example, silicone liquids such as silicone oils) which is thickened using a siliconized polyamide as a gelling agent; a carrier in which cosmetically active materials are incorporated;. . . one active ingredient to provide the activity for such cosmetic composition. Particular embodiments of the present invention include deodorant and antiperspirant compositions (and base compositions therefor), in which the cosmetically active ingredient is a deodorant active material and/or an antiperspirant active material. Embodiments of the present invention are not limited, however, to such antiperspirant and/or deodorant compositions, and are also directed to other cosmetic compositions containing other cosmetically active ingredients, such as sun protection. SUMM . . . products are directed to cosmetic compositions which are transparent (clear), including solid transparent (clear) compositions, especially transparent (clear) deodorant and/or antiperspirant compositions which are sticks or gels. While selected embodiments of cosmetic compositions made with the polyamides described are preferably [0007] The selected siloxane-based polyamides and mixtures thereof are SUMM used as gelling agents in cosmetic products, especially antiperspirants and/or deodorants. The compositions made with the siloxane-based polyamides have improved application and cosmetic properties (including reduced tackiness and stickiness),. [0008] Antiperspirant products are well known in the art. SUMM Antiperspirant products have appeared in the marketplace in various dosage forms, such as sticks, gels, roll-ons, aerosols and creams. Generally, these. dispensed through apertures is described in U.S. Pat. No. SUMM-5,102,656 to Kasat. This disclosed composition is a creamy, heterogeneous anhydrous antiperspirant product containing, in percent by weight, of the total weight of the composition, 30%-70% of a volatile silicone as a carrier, 7-30% of a suitable gelling agent or agents, and about 12-30% of a physiologically acceptable antiperspirant agent. This patent discloses that the gelling agent can be any of a number of materials, including, for example, hydrogenated. [0012] Clear or translucent antiperspirant gels (which have SUMM been dispensed from containers having the appearance of a stick) have been marketed, consisting of viscous, high. SUMM [0014] U.S. Pat. No. 5,500,209 discloses a gel or stick which includes active deodorant and/or antiperspirant ingredients, a polyamide gelling agent, and a solvent for the polyamide gelling agent, in which the gel or stick composition. . . in the aforementioned patent contains desirable properties in connection with stability of the composition, (particularly in the presence of acidic antiperspirant active materials, and in providing clear or translucent gel or stick compositions) such formulas may result in tackiness and stickiness both. . . . herein by reference in their entirety, discloses the use of a SUMM specific solvent system for a solid composition containing an antiperspirant active material and a polyamide gelling agent. This solvent system is glycol-free and contains a non-ionic

surfactant and a polar solvent. Water is the polar solvent, and the

non-ionic surfactant acts as a dispersing medium for the antiperspirant active material, in which sufficient

water is used to give a clear or translucent solution/emulsion of the antiperspirant active material.

- SUMM [0016] A typical technique to reduce the tackiness of, for example, antiperspirant formulations is the incorporation of one or more cyclomethicones (tetra- penta- or hexa-cyclodimethyl-siloxanes or mixtures thereof). These cyclomethicones are very. . . leave stains on the skin and/or clothing. More than 50% by weight of cyclomethicone has been incorporated into solid stick antiperspirant formulations, for example, using a wax solidifying agent. However, cyclomethicone is a nonsolvent for the dimer based polyamides described as. . .
- SUMM . . . in the art cited above, including a key advantage of being able to compatabilize the polyamide gelling agent with the silicone oils, there still remains a need for finding ways of forming superior products which overcome problems such as crumbling while maintaining. . .
- SUMM [0022] Thus, it is an object of the present invention to provide an improved cosmetic composition, for example, an antiperspirant and/or deodorant stick, comprising a selected siloxane-based polyamide as a gelling agent which cosmetic composition is capable of exhibiting improved. . .
- SUMM [0023] Clear cosmetic compositions, especially antiperspirant and/or deodorant compositions, especially clear sticks having good structural integrity, can be formed by incorporating at least 8% by weight. . . least one silicone fluid and at least one non-silicone emollient. The polyamides function as gelling agents to form, for example, antiperspirants and/or deodorants in stick, gel, soft solid or roll-on forms.
- SUMM [0026] The products of the invention are made as water in oil emulsions or water with glycol and oil emulsions and must be formulated so that for the ratio of the water phase. (less than 600) polypropylene glycols, and mixtures of any of the foregoing. Propylene glycol is of particular interest because the antiperspirant active is more soluble in this type of glycol. Tripropylene glycol has lower irritancy, but the antiperspirant active is not as soluble in this glycol. Mixtures of glycols may be used to balance these desirable properties. Particular examples. . .
- SUMM . . . internal phase of the cosmetic composition should be comprised of at least one cosmetically active ingredient, especially a non-ethanol based antiperspirant active, and one or more members selected from the group consisting of water; polyhydric alcohols having 3-9 carbons; branched and unbranched polymeric ethers having 6-18 carbons and 5-30 ethylene oxide groups; dibenzylidene sorbitol; polyvinyl alcohol; polyvinylpyrrolidone; and mixtures of the foregoing, in which the water content is kept below 25% by weight based on the . . .
- SUMM [0054] (i) at least one non-ethanol based antiperspirant active; and
- SUMM . . . polyhydric alcohols having 3-9 carbons; branched and unbranched polymeric ethers having 6-18 carbons and 5-30 ethylene oxide groups; dibenzylidene sorbitol; polyvinyl alcohol; polyvinylpyrrolidone, and mixtures of the foregoing; and
- SUMM . . . The basis of the invention is the selection of certain types of polyamides and certain formulation ingredient parameters to improved antiperspirants and/or deodorant stick products which (1) are clear and (2) have improved structural integrity and aesthetics. In particular, it has. . .
- SUMM [0116] In general, when using polyamides of Formula IIIA to make antiperspirants and/or deodorants, an amount of polyamide equal to at least 8% by weight based on the final weight of the total

antiperspirant and/or deodorant product should be used for a clear stick. This is especially true if a polyamide of Formula IIIA.

SUMM [0117] In one particular series of formulations of antiperspirant and/or deodorant products, the following table can be used to determine how much of what type of polyamide gellant of.

SUMM [0132] For antiperspirants and/or deodorants made with the type of gellant described here, emulsion or suspension stick products may be formed. If an. . . is defined as the suspended phase where liquids exist in a droplet form stabilized by surfactants. In the case of antiperspirant emulsion formulations, the external phase is the gelled oil phase and the internal phase contains the antiperspirant active. The external gelled oil phase contains at least one silicone fluid, at least one non-silicone organic emollient, and the siloxane-based polyamide gellant, as well as optional additives for the antiperspirant product such as surfactants, fragrances, additional emollients etc. The internal phase consists of a liquid solution containing dissolved antiperspirant salt, and typically involves solvents such as water, propylene glycol, dipropylene glycol, tripropylene glycol, ethanol, 1,2-hexanediol.

SUMM [0136] The formulations of this invention are emulsions wherein the antiperspirant active phase (internal phase) is made by dissolving solid particles of active ingredient in either water or a water/glycol mixture. These solid particles may be antiperspirant salt powders (such as aluminum chlorohydrate or aluminum zirconium tetrachlorohydrex glycine or others as described herein) and may contain water. . .

SUMM [0137] If a clear antiperspirant and/or deodorant product is desired, the two phase system is preferably used with matching of refractive indices of the external. . .

SUMM . . . It has also been found that when water is used as the internal phase (in a solution of water and antiperspirant active) the cracking and/or crumbling of the formula is the most severe and the cosmetic composition itself has more drag upon. . . non-water or reduced water system is used as the internal phase (such as propylene glycol, also in a solution containing antiperspirant active), the brittleness of the cosmetic composition decreases. Thus, it is preferred to use a non-water internal phase such as propylene. . . from 35-45%. In addition, other thickeners such as one or more of silica, dibenzylidene sorbitol (only in anhydrous systems), and polyvinyl alcohol may be added to the propylene glycol or water in the internal phase containing antiperspirant active; such additional ingredients will also help to enhance the strength of the final composition.

SUMM [0139] In contrast to the co-pending case referenced above as U.S. Provisional application 60/229,444, which may contain antiperspirant active added as powders which improve structural integrity, this invention adds the active as a solution, so that it is harder. . .

SUMM . . . ingredient in an amount sufficient to have a functional effect. Such actives include, but are not limited to fragrances, sunscreens, antiperspirants, deodorants and antibacterials (antimicrobials). For example, where the composition is a composition to protect skin from the sun, a sufficient. . .

SUMM [0173] In one particular aspect of the invention, deodorant and/or antiperspirant compositions, in the form of sticks, which have high efficacy, an attractive appearance (for example, which can be clear or. . .

SUMM [0174] Throughout the present specification, "antiperspirant active" and "deodorant active" materials are discussed. Both

SUMM

SUMM

SUMM

SUMM

(within 0.005) using techniques. .

types of materials contribute to reduction of body malodor, for example, axillary malodor.. . . reduction of the levels of the bacteria producing the malodorous materials, for example, from perspiration, reduction of perspiration, etc. The antiperspirant active materials, when utilized in appropriate amounts, primarily act to reduce malodor by reducing perspiration; the antiperspirant active materials can also have a deodorant function, for example, as an antimicrobial or bacteriostatic agent. The deodorant active materials do. [0175] Where the composition contains an antiperspirant SUMM active, any of the known antiperspirant active materials can be utilized. These include, by way of example (and not of a limiting nature), aluminum chlorohydrate, aluminum chloride,. PG, aluminum chlorohydrex PEG, aluminum dichlorohydrex PG, and aluminum dichlorohydrex PEG. The aluminum-containing materials can be commonly referred to as antiperspirant active aluminum salts. Generally, the foregoing metal antiperspirant active materials are antiperspirant active metal salts. In the embodiments which are antiperspirant compositions according to the present invention, such compositions need not include aluminum-containing metal salts, and can include other antiperspirant active materials, including other antiperspirant active metal salts. Generally, Category I active antiperspirant ingredients listed in the Food and Drug Administration's Monograph on antiperspirant drugs for over-the-counter human use can be used. In addition, any new drug, not listed in the Monograph, such as aluminum nitratohydrate and its combination with zirconyl hydroxychlorides and nitrates, or aluminum-stannous chlorohydrates, can be incorporated as an antiperspirant active ingredient in antiperspirant compositions according to the present invention. [0176] Antiperspirant actives can be incorporated into compositions according to the present invention in amounts in the range of 0.1-25%, 5-25 percent, and. . . formulation of the composition. For example, at amounts in the lower end of the broader range (for example, 0.1-10%), the antiperspirant active material will not substantially reduce the flow of perspiration, but will reduce malodor, for example, by acting as an antimicrobial. [0177] Where the composition is an antiperspirant composition, the composition can also include a solvent for the antiperspirant active. This solvent, which is not miscible with the silicone fluid, can illustratively be water, propylene glycol, dipropylene glycol, tripropylene glycol. [0178] Where the antiperspirant active is utilized in a solution, it may be necessary to match refractive indices of the antiperspirant active solution with that of the oil portion of the composition, in order to achieve a transparent or clear composition. Where the antiperspirant active material is suspended in the base composition as particulate material, it may also be necessary to match refractive indices of. . . WO 92/05767, the contents of which have previously been incorporated herein by reference in their entirety. The solvent for the antiperspirant active material can be included in the composition in an amount within the range of 0-75%, preferably 0-30%, by weight, of. [0179] When an antiperspirant active is used, the compositions of the present invention can also be utilized to form clear antiperspirant compositions. In a particular embodiment the refractive indices of the external and internal phases are matched

- . . . invention can include other cosmetic additives conventionally SUMM incorporated in cosmetic compositions, including (but not limited to) perfumes, cosmetic powders, colorants, emulsifiers, emollients, organosilicones, fatty esters, behenoxy dimethicone, etc. and other cosmetic agents. As for various other ingredients which can be incorporated,. . . . can also include surface active agents and/or solvents for the SUMM cosmetically active material. For example, where the composition is an antiperspirant composition, containing antiperspirant active material, the antiperspirant active material can be included in the composition in a solution in, for example, water, and/or propylene glycol, which may not. . . with the silicone fluid, and the composition can also include surface active agents so as to disperse the solution of antiperspirant active material in the composition. Where the composition according to the present invention is a deodorant composition, the composition can include. SUMM . . used by those in the art to formulate cosmetically acceptable products including fragrances, emollients, antibacterials hardeners, strengtheners, chelating agents, colorants, emulsifiers and other additives such as, silicas, silica-based resins, fumed silica, high molecular weight polymers (for example silicone gums, elastomers). SUMM . . . lower percent ranges include formulations where only fragrances or antimicrobials are used, and the upper ranges include formulations containing active antiperspirant ingredients. SUMM . . . such that the thickening agent can be dissolved therein and gelled therefrom, and includes a silicone fluid (for example, a silicone oil, such as cyclomethicone and/or dimethicone). Thus, the thickening agent can be dissolved in the solvent and gelled therefrom, for example, . . . SUMM . . . of at least 10.sup.6 Pa second (both at an angular frequency of 0.1 rad-sec). On the other hand, a commercial antiperspirant gel or cream may have a G' (ω) value of roughly about 10.sup.2-10.sup.5 Pa and a complex viscosity in the. SUMM . . are mixed and heated so as to fully dissolve the thickening agent in the solvent. An active ingredient (for example, antiperspirant active material, for example, in dry form or as part of a solution) can be added after the thickening agent . . of the stick on the skin in order to deposit stick material SUMM (including the cosmetically active material such as the antiperspirant active) on the skin. Thus, in the case of an antiperspirant, the active material on the skin is available to reduce body malodor and/or reduce the flow of perspiration from, for. SUMM . . . the present invention is that a clear, or transparent, stick cosmetic composition, (for example, a clear or transparent deodorant or antiperspirant composition) can be provided. The term clear or transparent according to the present invention is intended to connote its usual dictionary definition; thus, a clear, for example, stick or gel antiperspirant composition of the present invention allows ready viewing of objects behind it. By contrast, a translucent composition, although allowing light. SUMM . . . In the following, specific synthesis examples for forming siloxane-based polyamides of this invention are set forth, and specific examples of antiperspirant and deodorant compositions within the scope of the present invention are also set forth. These specific synthesis examples and examples.
- DETD [0228] An antiperspirant/deodorant stick composition is formed by combining two phases. Phase A is made by combining 14% dioctyl ether (Cetiol OE from. . .

```
10/581,320
       [0231] Phase B: 29.2% of the antiperspirant active
DETD
      described in Example 1; 8% water; 0.8% cocamidopropyl hydroxysultane
       (Crosultaine C-50 from Croda, Inc., Parsippany, N.J.).
       [0234] Phase B: 29% of the antiperspirant active
DETD
       described in Example 1; 9% water.
       [0237] Phase B: 5% propylene carbonate; 34% of the
DETD
       antiperspirant active described in Example 1; 1% Tween
       [0243] Phase B: 19% water; 19% of the antiperspirant
DETD
      active described in Example 1; 2% cocamidopropyl
      hydroxysultaine.
       [0247] Phase B: 57% of the antiperspirant active
DETD
       described in Example 1; 2% water; 1% polysorbate 20.
       . . . 75 degrees C. In a separate container, the cyclomethicone
DETD
      described in Example 1 for Phase A is mixed with an
       antiperspirant active powder as described in Example 1
       for Phase B and the mixture is heated to 75 degrees C. The mixture.
DETD
       [0251] Phase B: 25% antiperspirant active powder
       (for example, AZP 902 from Reheis, Berkeley Heights, N.J.)
CLM
       What is claimed is:
       1. A clear antiperspirant and/or deodorant cosmetic emulsion
      composition having a failure stress of at least 2.0 Pascals comprising:
       (a) at least 8% by. . . is in the range of 10:1-0.01:1; (d) an
       internal phase which internal phase comprises: (i) at least one
       non-ethanol based antiperspirant active; and (ii)
       one or more members selected from the group consisting of water; a
       glycol component; polyhydric alcohols having 3-9 carbons; branched and
       unbranched polymeric ethers having 6-18 carbons and 5-30 ethylene oxide
       groups; dibenzylidene sorbitol; polyvinyl alcohol;
      polyvinylpyrrolidone; and mixtures of the foregoing; and (iii) a water
       content below 25% by weight based on the weight of.
       29. A composition as claimed in claim 1 comprising 5-20% on an anhydrous
      basis of an antiperspirant active.
     (FILE 'HOME' ENTERED AT 10:55:24 ON 14 JAN 2008)
    FILE 'USPATFULL' ENTERED AT 10:55:37 ON 14 JAN 2008
```

=> d his

```
L1
           4741 S ANTIPERSPIRANT? OR DEODORANT?/TI
L2
          15669 S WATER-IN-OIL? EMULSION?
L3
            693 S L1 AND L2
L4
         116407 S PVA OR POLYVINYL ALCOHOL?
L5
            145 S L3 AND L4
L6
           1520 S EMULSIFIER? (P) SILICONE OIL?
L7
             32 S L5 AND L6
1.8
         860117 S POLYMER?
L9
             31 S L7 AND L8
L10
            729 S ANTIPERSPIRANT? ACTIVE?
L11
              6 S L9 AND L10
L12
             31 S L1 AND L9
L13
            489 S ANTIPERSPIRANT?/TI
              0 S L13 AND L12
L14
L15
           1407 S ANTIPERSPIRANT?/CLM
L16
             14 S L15 AND L12
L17
          91169 S EMULSIFIER?
L18
          40966 S SILICONE OIL?
           9363 S L17 AND L18
L19
```